

Cond
A2

2. (Amended) A method of timing childbirth labor contractions comprising the steps of: providing a timing device with a visible display, a calculating means, a memory device and a selection means; storing a set of expected sequences; selecting an initiation time for each of a plurality of labor contractions at the onset thereof; displaying elapsed contraction time during each of the contractions on the visible display; selecting a termination time for each of the labor contractions at the diminution thereof; calculating a time interval between each adjacent pair of the contractions; calculating a contraction time duration for each of the contractions; storing each of the time intervals and time durations in the memory device; displaying the time durations and intervals, in sequence, including visual indication distinguishing between time duration display and time interval display; and comparing the sequence of time duration and intervals with the expected sequences.

A3

5. (Amended) A method of timing childbirth labor contractions comprising the steps of: providing a timing device with a visible display, a calculating means, a memory device and a selection means; storing a set of expected sequences; selecting an initiation time for each of a plurality of labor contractions at the onset thereof; displaying elapsed contraction time during each of the contractions on the visible display; selecting a termination time for each of the labor contractions at the diminution thereof; calculating a time interval between each adjacent pair of the contractions; calculating a contraction time duration for each of the contractions; storing each of the time intervals and time durations in the memory device; and displaying the time durations and intervals in sequence, including visual indication distinguishing between time duration display and time interval display; and further comprising: selecting from a plurality of displayed values at least one alert parameter from labor contraction duration, labor contraction interval, labor contraction duration quantities, labor contraction interval quantities, and the "and" and "or" functions, each labeled for identification on the visual display, storing the selected alert contraction parameters in the memory device; selecting an initiation time and a termination time for each of a plurality of sequential labor contractions; calculating a time interval between each adjacent pair of the contractions; calculating a contraction time duration for each of the contractions; storing each of the contraction

Cond
A3

duration times and each of the interval times in the memory device; and enabling an alert action when a match occurs between one of: (a) at least one of the selected alert parameters and the calculated contraction time durations and intervals and the quantities thereof for each; and (b) the stored set of expected sequences and at least one of the sequences of contraction duration times and interval times.

A4

7. (Amended) A method of timing childbirth labor contractions comprising the steps of: providing a timing device with a visible display, a calculating means, a memory device and a selection means; storing a set of expected sequences; selecting from a plurality of displayed values, at least one alert parameter from labor contraction duration, labor contraction interval, labor contraction duration quantities, labor contraction interval quantities, and the "and" and "or" functions, each labeled for identification on the visual display, storing the selected alert labor contraction parameters in the memory device; selecting an initiation time and a termination time for each of a plurality of sequential labor contractions; calculating a time interval between each adjacent pair of the contractions; calculating a contraction time duration for each of the contractions; storing each of the contraction duration times and each of the interval times in the memory device; and enabling an alert action when a match occurs between one of: (a) at least one of the selected alert parameters and the calculated contraction time durations and intervals and the quantities thereof for each; and (b) the stored set of expected sequences and at least one of the sequences of contraction duration times and interval times.

8. (Amended) A method of timing childbirth labor contractions comprising the steps of: providing a timing device with a visible display, a calculating means, a memory device and a selection means; storing a set of expected sequences; storing a plurality of childbirth labor practice instruction sets in the memory device, the instruction sets including: early labor, active labor, transition labor, and pushing labor; displaying an indication of each of the practice sets in turn on the visible display device; selecting one of the practice sets when displayed; calculating a plurality of contraction durations and contraction intervals using a random number generator; displaying the plurality of contraction durations and intervals in sequence on the visible display; and indicating

Cond
A4

audibly, the beginning and end of each practice contraction and selected times during each contraction, in accordance with, and during display of the selected instruction set; and further comprising, selecting from a plurality of displayed values of at least one alert parameter, contraction duration, labor contraction interval, labor contraction duration quantities, labor contraction interval quantities, and the "and" and "or" functions, each labeled for identification on the visual display; storing the selected alert contraction parameters in the memory device; selecting an initiation time and a termination time for each of a plurality of sequential labor contractions; calculating a time interval between each adjacent pair of the contractions; calculating a contraction time duration for each of the contractions; storing each of the contraction duration times and each of the interval times in the memory device; and enabling an alert action when a match occurs between one of: (a) at least one of the selected alert parameters and the calculated contraction time durations and intervals and the quantities thereof for each; and (b) the stored set of expected sequences and at least one of the sequences of contraction duration times and interval times.
